

WATER RESTRICTIONS UPDATE : 12 AUGUST 2015



PLEASE REDUCE
CONSUMPTION
PER RESTRICTION
REQUIREMENTS !

30% REDUCTION REQUIRED

WHY MOVE FROM 50% TO 30% REDUCTION?

1. The level of Hazelmerre Dam is approximately 31%.
2. The Department of Water & Sanitation recently conducted a study to assess the siltation of the Dam and they have confirmed that the siltation level is approximately 5% and not 15% as originally estimated. This means that there is approximately 10% more water in the Dam.
3. Based on the above it is estimated that the current Dam level will take us to the end of December 2015.

ALL CONSUMERS ARE URGED TO CONTINUE REDUCING THEIR CONSUMPTION AS FOLLOWS:

- a) Domestic customers by 30%, and
- b) Registered Commercial Customers by 10%.

**All water restrictions
remain in place .**



sembcorp
siza water

conserving water for your future

Please view the water saving tips as well as more details on the restrictions, please visit our website www.sembcorp-sizawater.co.za. Customers can register their mobile numbers and email addresses for alerts from us. These can be sent to info-sizawater@sembcorp.com or contact our Customer Services Department on **032 946 7200** (during office hours only and please state your address).

*Also listen to Radio Life & Style (88.0FM) for daily updates and follow the North Coast Courier on Social Media